

### Summary of Section 1 Proposed Trial Pits

Trial Pit No	Depth	Description	Reason
T1	1.2m	Outside Haymarket busstop	Verify Adien find water cables and differences between SW and Adien info, cellars and tunnel
T8	1.2m	Near Manor Place	Verify Adien Area 9/10
T8	1.2m	Coates Cres	Non surveyed area and mis information between Adien extents of survey and SUC base info
T9	1.2m	Coates Cres	Non surveyed area and mis information between Adien extents of survey and SUC base info
T13	1.2m	Hope St	Verify Adien, find telcomm, water and gas and differences between SUC and Adien info
T21	1.2m	the Mound	Verify Adien, find tunnel, very busy
T26	1.2m	Princes St / Waverly Bridge	Busy intersection, verify Adien, SUC queries
T32	1.2m	St Andrews Sq	Very busy and politically sensitive, verify Adien and Aperio, question some of Adiens cad drawings
T34	1.2m	York Place	Road level changes may allow less diversions to be undertaken
T35	1.2m	York Place outside Conan Doyle Pub	Road level changes may allow less diversions to be undertaken, verify Adien, lots of telecomms, cellars and basements
T38	1.2m	Near Gayfield Place	No survey data and unknown plant
T40	1.2m	Near Haddington Place	No survey data and unknown plant, find SGN gas main
T42	1.2m	Near Shrub Place	No survey data and unknown plant, find SGN gas main
T44	1.2m	Down from Piling Church	No survey data and unknown plant, find SGN gas main
T46	1.2m	Between Balfour and Jamieson Pl	No survey data and unknown plant, find SGN gas main
T47	1.2m	Adjacent to Lorne St	No survey data and unknown plant, find SGN gas main
T49	1.2m	Up from Jane St	No survey data and unknown plant, find SGN gas main
T54	1.2m	Constitution St entrance	Very busy and politically sensitive, verify Adien and Aperio, question some of Adiens cad drawings
T68	1.2m	Ocean Drive	Unknown services in this location
T69	1.2m	On Ocean Onve Roundabout	Unknown services in this location
T71	1.2m	Near Ocean Terminal	Locate gas and power in this area
T73	1.2m	Access path to Ocean Terminal	Unknown services in this location
T77	1.2m	Near end of Section 1A	Unknown services in this location
V = As required to carryout works to a max of 1.2m			
Number of Trial Pits			
23			

PR Ref. ULE90130-SW-LET-00340

16 November 2006

Summary of Section 3 Proposed Trial Pits			
Trial Pit No	Depth	Description	Reason
T104	1.2m	St Georges Bridge	Medium pressure gas main
T112	1.2m	Crewe toll	No survey data and unknown plant
T113	1.2m	Crewe toll road intersection	Locate BT equipment not shown on drawings
T116	1.2m	Beneath West Granton Access Bridge	Locate SP plant
T119	1.2m	Beneath West Granton Access Bridge	Locate SP plant
T120	1.2m	Beneath West Granton Access Bridge	Locate SP, SW and BT plant
T123	V	North of West Granton Road	Verify Adien and locate BT, also important to locate 48" gas main
T126	V	Caroline Park Road	Locate SW plant
T131	1.2m	Approaching West Harbour Road	Lots of manhole lids and no utility records in this area
V = As required to carryout works to a max of 1.2m			
Number of Trial Pits		9	

PB Ref ULR 90130-SW-LET-00340

16 November 2006,

## Summary of Section 5 Proposed Trial Pits

Trial Pit No	Depth	Description	Reason
T201	V	Under Murrayfield Underpass	To uncover location of SP
T202	V	East of The Gyle tramstop between the Alignment and access road to the Gyle	To uncover utilities and possible utilities corridors
T203	V	North of The Gyle tramstop	To uncover utilities and possible utilities corridors
T204	B	South of A8 towards Gyle	Uncover all utilities in area and depth of the base of BT duct bank
T205	B	Between highways of A8 at Gogar	Uncover depth of the base of BT duct bank
V = As required to carryout works to a max of 1.2m			
B = Bottom of BT duct bank			
Number of Trial Pits			
5			

FPB Ref ULE90130 SW-LFT 00360

16 November 2006